


POWERLINE 20

RLS003 Opal/Clear

Small LED recessed aluminium profile, pmma opal or clear matte diffuser. 14.4W p/m. Supplied with mounting clips and end caps Cabinet, wall lighting Mounting: Recessed into joinery






POWERLINE 35

RPL35 Opal/Clear

Recessed aluminium profile, pmma opal or clear matte diffuser. 30W p/m. Supplied with mounting clips and end caps Recessed into ceilings, walls Mounting: Recessed






RPL65 Opal

Recessed aluminium profile, pmma opal matte diffuser.

30W p/m. Supplied with mounting clips and end caps

Recessed into ceilings, walls

Mounting: Recessed





POWERLINE 90


RPL90 Opal

Recessed aluminium profile, pmma opal matte diffuser.

30W p/m. Supplied with mounting clips and end caps

Recessed into ceilings, walls

Mounting: Recessed






UP LIGHT

LERPL43S Opal/Clear

LED square aluminium profile, pmma opal or clear matte diffuser.

30W p/m. Supplied with side rail and end caps

Wall or ceiling lighting Mounting: Surface





SIDE LIGHT


LERPL43D Opal/Clear

LED square aluminium profile, pmma opal or clear matte diffuser. Up or down lighting.

30W p/m. Supplied with back rail and end caps

Ceiling lighting

Mounting: Surface







MICRO8

DEEP MICRO *MICRODEEP*


MACRO10


ARC1 *ARC001 ARC002*


Ultra slim aluminium profile, pmma opal matte diffuser 9.6W p/m. Supplied with mounting clips and end caps Wall or ceiling lighting Mounting: Recessed or Surface

LED slim aluminium profile, pmma opal matte diffuser. 9.6W p/m. Supplied with end caps Wall or ceiling lighting Mounting: Recessed or Surface LED ceiling profile, pmma opal matte, clear or frosted diffuser
14.4W p/m. Supplied with mounting clips and end caps
General lighting
Mounting: Suspended or Surface















LEN1 LEN14, LEN22

LED slim aluminium profile, pmma opal or clear matte diffuser. 14.4W p/m Supplied with mounting clips and end caps

Stairs, kitchens, cabinet lighting **Mounting:** Recessed or Surface

LEL16

LUX *LUXX Opal/Clear*

LED slim aluminium profile, pmma opal or clear matte diffuser. 14.4W p/m Supplied with mounting clips and

Supplied with mounting clips and end caps


Stairs, kitchens, cabinet lighting Mounting: Recessed or Surface


LED ceiling profile, pmma opal or clear diffuser. Insert with or without wings 14.4W p/m. Supplied with end caps Stairs, kitchens, cabinet lighting Mounting:

Recessed or Surface (gluefix)
Extra long standard length of 3000mm











NINETY MEDIUM

STC001 Opal

LED square aluminium profile, pmma opal matte diffuser.

14.4W p/m. Supplied with mounting clips and end caps
Cabinets, wardrobes
Mounting: Surface





NINETY SQUARE

LESCT30301 Opal

LED square aluminium profile, pmma opal diffuser.
20W p/m. Supplied with mounting clips and end caps
Cornice lighting
Mounting: Surface









ROUND CORNER

STC002 Opal

LED corner aluminium profile, pmma opal or semi-clear matte diffuser.
14.4W p/m. Supplied with mounting clips and end caps
Cabinets, wardrobes
Mounting: Surface






NINETY SEMI


LESCT30302


LED round aluminium profile, pmma opal or semi-clear matte diffuser. 20W p/m. Supplied with mounting clips and end caps
Cornice lighting
Mounting: Surface















TOOB30 *LEDTOOB30*

LED aluminium profile, round opal diffuser.
0.5 - 3m lengths
14.4W p/m. Supplied with end caps
Mounting:
Supended,







SABRE *LEDSABRE*

Circular opal diffuser with internal pentagon profile
0.5 - 3m lengths
5x5W p/m. Supplied with end caps
Mounting:
Supended

T00B58 *LEDT00B60*

LED aluminium profile, round opal diffuser.
0.5 - 3m lengths
19.2W p/m. Supplied with end caps
Mounting:
Supended,





SEMY LT40


Supended

Semi Circular profile with opal diffuser 0.5 - 3m lengths 19.2W p/m.. Supplied with end caps **Mounting:**



BENDABLE, 'DOTLESS LED STRIP LIGHTING








FEATURES:

- High concentration of mini LED chips provide seam-free, 'dotless' illumination
- Supple aluminium profile allows for tight bends down to 90mm radii
- Ultra slim aluminium profile allows installation to almost any space
- Simple installation and extendable length
- Opal acrylic diffuser sheds soft, even lighting










SPECIFICATIONS								
CODES	WATTS	LED p/m	LUMENS	COLOUR TEMP.	CHIP SIZE	CRI	CUTTING LENGTH of LED	INPUT
LFF18W300LEDS (LED Strip only)	18W per metre	300	1800	2700/3000/4000/6000K	2216	→90	20mm	24vDC
LEBNDY (Extrusion only)	Aluminium profile available in lengths of 2000mm							

MIRROR LIGHT

CIIO

LEDMRL




LED square aluminium profile, pmma opal or clear matte diffuser.

20W p/m. Supplied with end caps Diffused lighting ideal for mirror illumination.

Mounting: Surface






IN-WARDROBE LED EXTRUSION

LEDWDRB







LED slimline rounded aluminium profile, pmma opal or semi-clear matte diffuser. 14.4W p/m.

Supplied with mounting end caps Sturdy profile for hanging garments Mounting:

Surface

